Zona Artigianale 3/C, 39052 Caldaro s.S.d.V. (BZ) -
ITALY
Phone +39 0471 813468

NEUROPHISIOLOGY ACCESSORIES CATALOGUE

Item code
EF Medica

PREWIRED HEADCAPS

CLASSIC PREWIRED CAP

64.100.83	Prewired headcap - large adult size (58-62 cm) blue - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
64.100.84	Prewired headcap - medium adult size (54-58 cm) red - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
64.100.85	Prewired headcap - small adult size (50-54 cm) yellow - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
64.100.86	Prewired headcap - extrasmall adult size (46-50 cm) green - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
64.100.87	Prewired headcap - large infant size (42-46 cm) light blue - tin electrodes - 19 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
64.100.88	Prewired headcap - medium infant size (38-42 cm) pink - tin electrodes - 9 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
64.100.89	Prewired headcap - small infant size (34-38 cm) brown - tin electrodes - 9 + GND - SUB-D 25pole din multiconnector (1pack=1cap)
	Other versions available on request

EAR ELECTRODES - USABLE AS A REFERENCE ELECTRODE

64.116.02	AgAgCl ear electrode, 100cm long leadwire and 1,5mm touch proof connector (1pack=2pieces)
	Other versions available on request

BODY HARNESSES

64.111.01	120cm long body harness, equipped with automatic clip for fast hooking with headcap ties (1pack=1piece)
64.111.02	95cm long body harness, equipped with automatic clip for fast hooking with headcap ties (1pack=1piece)
64.111.03	70cm long body harness, equipped with automatic clip for fast hooking with headcap ties (1pack=1piece)
64.111.05	40cm long body harness, pediatric version, equipped with automatic clip for fast hooking with headcap ties (1pack=1piece)

CHIN HOLDERS

64.100.96	Couple of bands for a soft chin holder, adult version
64.100.97	Couple of bands for a soft chin holder, pediatric version
64.100.98	Couple of bands for a soft chin holder, neonatal version
64.118.14	Bridge electrode covering set (1pk=1Ring Holder,100 Fastening Rings,100 Discs)
	Other versions available on request

ELECTRODE BOARD ADAPTERS

64.112.05	Electrode board adapter connection leadwire for electrodes cap 20 channels with 1,5mm touch proof connector (1pack=1piece)
64.112.06	Electrode board adapter connection leadwire for electrodes cap 21 channels with 1,5mm touch proof connector (1pack=1piece)
	Other versions available on request

HEADCAPS

EMERGENCY LEADWIRES

64.113.06	Emergency electrode for prewired cap - 120 cm - with 1,5mm touch proof connector (1pack=1piece)
	Other versions available on request

OTHER ACCESSORIES

64.115.03	Adhesive sponge rings for Classic prewired cap (64.100.83-64.100.89) and for prewired cap with moulded and interchangeable electrodes (64.100.07-64.100.13) (1pack=50pieces)
64.115.05	Brush for electrode cleaning (1pack=25pieces)

Zona Artigianale 3/C, 39052 Caldaro s.S.d.V. (BZ) -
ITALY
Phone +39 0471 813468

NEUROPHISIOLOGY ACCESSORIES CATALOGUE

Item code
EF Medica

PTS HEADCAPS

64.100.82	PTS Headcap with 2 bands with adjustable soft chin holder - adult size - large (1pack=1piece)
64.100.99	PTS Headcap with 4 bands with adjustable soft chin holder - adult size - large (1pack=1piece)
64.100.76	PTS Headcap with 2 bands with adjustable soft chin holder - adult size - small (1pack=1piece)
64.100.79	PTS Headcap with 4 bands with adjustable soft chin holder - adult size - small (1pack=1piece)
64.100.75	PTS Headcap with 2 bands with adjustable soft chin holder - paediatric size (1pack=1piece)
64.100.78	PTS Headcap with 4 bands with adjustable soft chin holder - paediatric size (1pack=1piece)
64.100.77	PTS Headcap with 2 bands with adjustable soft chin holder - paediatric/thin size (1pack=1piece)
64.100.80	PTS Headcap with 4 bands with adjustable soft chin holder - paediatric/thin size (1pack=1piece)
64.100.90	PTS Headcap with 1 band with adjustable soft chin holder - neonatal/thin size (1pack=1piece)
	Other versions available on request

BRIDGE ELECTRODES

BRIDGE ELECTRODES

64.117.07	Adult sintered silver/silver chloride bridge electrode with gold plated screw to avoid oxidation - red (1pack=10pieces)
64.117.08	Adult sintered silver/silver chloride bridge electrode with gold plated screw to avoid oxidation - blue (1pack=10pieces)
64.117.09	Paediatric sintered silver/silver chloride bridge electrode with gold plated screw to avoid oxidation - yellow (1pack=10pieces)
	Other versions available on request

CONNECTION LEADWIRES

64.119.02	120cm long connection lead wire (10 colours) with 2mm spring plug one side and 1,5mm touchproof connector other side (1pack=10pieces)
64.119.05	120cm long connection lead wire (10 colours) with insulated alligator clip one side and 1,5mm touch proof connector other side (1pack=10pieces)
	Other versions available on request

CUP ELECTRODES

REUSABLE MOULDED CUP ELECTRODES

64.120.14	Stamped AgAgCl 10mm cup electrode, moulded connection, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.120.05	Stamped AgAgCl 10mm cup electrode, moulded connection, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.120.09	Stamped AgAgCl 10mm cup electrode, moulded connection, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.122.14	Stamped gold plated 10mm cup electrode, moulded connection, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.122.05	Stamped gold plated 10mm cup electrode, moulded connection, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.122.09	Stamped gold plated 10mm cup electrode, moulded connection, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
	Other versions available on request

PEDIATRIC CUP ELECTRODES

64.129.14	Stamped AgAgCl 6mm pediatric cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.129.05	Stamped AgAgCl 6mm pediatric cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.122.18	Stamped gold plated 6mm pediatric cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.122.19	Stamped gold plated 6mm pediatric cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.122.21	Stamped gold plated 6mm pediatric cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
	Other versions available on request

REUSABLE LONG TIME MONITORING CUP ELECTRODES

64.123.21	Ltm AgAgCl 10mm cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.123.22	Ltm AgAgCl 10mm cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.123.23	Ltm AgAgCl 10mm cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.123.24	Ltm gold plated 10mm cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.123.25	Ltm gold plated 10mm cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.123.26	Ltm gold plated 10mm cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
	Other versions available on request

Zona Artigianale 3/C, 39052 Caldaro s.S.d.V. (BZ) -
ITALY
Phone +39 0471 813468

NEUROPHISIOLOGY ACCESSORIES CATALOGUE

Item code EF Medica	
	DISPOSABLE CUP ELECTRODES
64.138.14	Disposable AgAgCl 10mm cup electrode, 100cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.138.15	Disposable AgAgCl 10mm cup electrode, 150cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
64.138.17	Disposable AgAgCl 10mm cup electrode, 250cm long lead wire (10colours) and 1,5mm touch proof connector (1pack=10pieces)
	GEL AND CREAM
64.139.18	EEG gel into 250gr bottle (1pack=1bottle)
64.139.19	EEG gel into 250gr jar (1pack=3jars)
64.139.20	Scrub cream into 160gr bottle (1pack=24bottles)
64.139.21	Adhesive and conductive cream into 250gr jar (1pack=3jars)
	DISPOSABLE ELECTRODES
	ADHESIVE ELECTRODES
64.139.16	15X20mm disposable surface electrode with 15cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.05	15X20mm disposable surface electrode with 100cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.07	15X20mm disposable surface electrode with 150cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.25	15X20mm disposable surface electrode with 250cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.17	20X25mm disposable surface electrode with 15cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.01	20X25mm disposable surface electrode with 100cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.03	20X25mm disposable surface electrode with 150cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.26	20X25mm disposable surface electrode with 250cm long lead wire and 1,5mm touchproof connector (1pack=120pieces/6 electrodes per pouch)
64.139.11	15X20mm disposable surface electrode with 8cm long lead wire and 0,7mm touchproof plug (1pack=240pieces/12 electrodes per pouch)
64.139.12	20X25mm disposable surface electrode with 8cm long lead wire and 0,7mm touchproof plug (1pack=240pieces/12 electrodes per pouch)
	GROUND ADHESIVE ELECTRODES
64.140.11	35X45mm disposable surface electrode with 150cm lead wire and 1,5mm touchproof connector (1pack=80pieces/4 electrodes per pouch)
	SNAP ADHESIVE ELECTRODES
64.140.05	24mm diam disposable surface electrode with stud connection (1pack=500pieces/25 electrodes per pouch)
64.140.07	35X45mm disposable surface electrode with snap connection (1pack=80pieces/4 electrodes per pouch)
	Other versions available on request
	CONNECTION LEADWIRES
	MONOPOLAR CONNECTION LEADWIRES
64.140.12	100cm monopolar connection cable, one side 1mm socket, other side 1,5mm touchproof connector (1pack=10pieces)
64.140.13	100cm monopolar connection cable, one side 1,5mm protected plug, other side 1,5mm touchproof connector (1pack=10pieces)
64.140.14	100cm monopolar connection cable, one side 0,7mm socket, other side 1,5mm touchproof connector (1pack=10pieces)
64.140.15	100cm monopolar connection cable, one side stud connection, other side 1,5mm touchproof connector (1pack=10pieces)
64.140.16	150cm monopolar connection cable, one side stud connection, other side 1,5mm touchproof connector (1pack=10pieces)
64.140.17	250cm monopolar connection cable, one side stud connection, other side 1,5mm touchproof connector (1pack=10pieces)
	MULTIPOLAR CONNECTION LEADWIRES
64.125.01	100cm flexible shielded connection cable, one side 3 snap connectors, other side 5-pole din connector (1pack=1piece)
64.125.02	100cm flexible shielded connection cable, one side 3 snap connectors, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.03	100cm flexible shielded connection cable, one side 3 0,7mm socket connectors, other side 5-pole din connector (1pack=1piece)
64.125.04	100cm flexible shielded connection cable, one side 3 0,7mm socket connectors, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.05	100cm flexible shielded connection cable, one side 3 1,5mm protected plug, other side 5-pole din connector (1pack=1piece)
64.125.06	100cm flexible shielded connection cable, one side 3 1,5mm protected plug, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.07	100cm flexible shielded connection cable, one side 3 1mm sockets, other side 5-pole din connector (1pack=1piece)
64.125.08	100cm flexible shielded connection cable, one side 3 1mm sockets, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.09	100cm flexible shielded connection cable, one side 3 alligator clip, other side 5-pole din connector (1pack=1piece)
64.125.10	100cm flexible shielded connection cable, one side 3 alligator clip, other side 3 1,5mm touchproof connectors (1pack=1piece)

Zona Artigianale 3/C, 39052 Caldaro s.S.d.V. (BZ) -
ITALY
Phone +39 0471 813468

NEUROPHISIOLOGY ACCESSORIES CATALOGUE

Item code EF Medica	
64.125.11	100cm flexible shielded connection cable, one side 2 snap connectors, other side 5-pole din connector (1pack=1piece)
64.125.12	100cm flexible shielded connection cable, one side 2 snap connectors, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.13	100cm flexible shielded connection cable, one side 2 0,7mm socket connectors, other side 5-pole din connector (1pack=1piece)
64.125.14	100cm flexible shielded connection cable, one side 2 0,7mm socket connectors, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.15	100cm flexible shielded connection cable, one side 2 1,5mm protected plug, other side 5-pole din connector (1pack=1piece)
64.125.16	100cm flexible shielded connection cable, one side 2 1,5mm protected plug, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.17	100cm flexible shielded connection cable, one side 2 1mm sockets, other side 5-pole din connector (1pack=1piece)
64.125.18	100cm flexible shielded connection cable, one side 2 1mm sockets, other side 3 1,5mm touchproof connectors (1pack=1piece)
64.125.19	100cm flexible shielded connection cable, one side 2 alligator clip, other side 5-pole din connector (1pack=1piece)
64.125.20	100cm flexible shielded connection cable, one side 2 alligator clip, other side 3 1,5mm touchproof connectors (1pack=1piece)
	Other versions available on request

NEEDLE ELECTRODES

SUBDERMAL NEEDLE ELECTRODES

64.141.18	Disposable moulded subdermal needle electrode, diam.0,40(27G)x13mm with 100cm long leadwire (5 colors) and 1,5mm touchproof connector (1pack=24needles)
64.143.07	Disposable moulded subdermal needle electrode, diam.0,40(27G)x13mm with 150cm long leadwire (5 colors) and 1,5mm touchproof connector (1pack=24needles)
64.141.20	Disposable moulded subdermal needle electrode, diam.0,40(27G)x13mm with 250cm long leadwire (5 colors) and 1,5mm touchproof connector (1pack=24needles)
64.141.01	Disposable moulded subdermal needle electrode, diam.0,35(28G)x12mm with 8cm long leadwire (white) and 1mm plug (1pack=250needles)
64.141.21	Disposable moulded subdermal needle electrode, diam.0,35(28G)x18mm with 8cm long leadwire (white) and 1mm plug (1pack=250needles)
64.141.23	Disposable moulded subdermal hook needle electrode, diam.0,40(27G)x13mm with 100cm leadwire and 1,5mm touchproof connector (1pack=24needles)
64.141.24	Disposable moulded subdermal hook needle electrode, diam.0,40(27G)x13mm with 150cm leadwire and 1,5mm touchproof connector (1pack=24needles)
64.141.25	Disposable moulded subdermal hook needle electrode, diam.0,40(27G)x13mm with 250cm leadwire and 1,5mm touchproof connector (1pack=24needles)

TWISTED SUBDERMAL NEEDLE ELECTRODES

64.143.08	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 2 100cm leadwires and 1,5mm touchproof connector (1pack=20set)
64.143.09	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 2 150cm leadwires and 1,5mm touchproof connector (1pack=20set)
64.143.10	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 2 250cm leadwires and 1,5mm touchproof connector (1pack=20set)
64.143.11	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 3 100cm leadwires and 1,5mm touchproof connector (1pack=10set)
64.143.14	Disposable twisted subdermal monopolar needle electrodes diam. 0,40(27G)x13mm with 3 150cm leadwires and 1,5mm touchproof connector (1pack=10set)

SPIRAL NEEDLE ELECTRODES

64.143.20	Disposable spiral needle electrodes, with 100cm leadwire and 1,5 touchproof connector (1pack=24needles)
64.143.21	Disposable spiral needle electrodes, with 150cm leadwire and 1,5 touchproof connector (1pack=24needles)
64.143.22	Disposable spiral needle electrodes, with 250cm leadwire and 1,5 touchproof connector (1pack=24needles)

EMG CONCENTRIC NEEDLE ELECTRODES

65.100.18	30G diam.0,30x25mm, disposable concentric needle electrode (purple), concentric connection (1pack=25needles)
65.100.02	28G diam.0,35x30mm, disposable concentric needle electrode (red), concentric connection (1pack=25needles)
65.100.03	28G diam.0,35x40mm, disposable concentric needle electrode (grey), concentric connection (1pack=25needles)
65.100.17	26G diam.0,45x30mm, disposable concentric needle electrode (orange), concentric connection (1pack=25needles)
65.100.05	26G diam.0,45x40mm, disposable concentric needle electrode (black), concentric connection (1pack=25needles)
65.100.06	26G diam.0,45x50mm, disposable concentric needle electrode (yellow), concentric connection (1pack=25needles)
65.100.08	23G diam.0,60x70mm, disposable concentric needle electrode (brown), concentric connection (1pack=25needles)

DISPOSABLE SINGLE FIBER AND MACRO NEEDLE ELECTRODES

65.100.09	26G diam. 0,45x37mm, disposable single fiber needle electrode (blue), concentric connection (1pack=5needles)
65.100.19	26G diam. 0,45x37mm, disposable macro needle electrode (blue), concentric connection (1pack=5needles)

CONNECTION CABLE

65.111.11	100cm extraflexible connection leadwire for concentric connection and 5-pole DIN45322 connector (1pack=1piece)
65.111.02	200cm extraflexible connection leadwire for concentric connection and 5-pole DIN45322 connector (1pack=1piece)
	Other versions available on request

Zona Artigianale 3/C, 39052 Caldaro s.S.d.V. (BZ) -
ITALY
Phone +39 0471 813468

NEUROPHISIOLOGY ACCESSORIES CATALOGUE

Item code
EF Medica

	EMG MONOPOLAR INSULATED NEEDLE ELECTRODES
65.113.01	28G diam. 0,35x15mm disposable monopolar needle electrode, with 76cm leadwire (black) and 1,5mm touchproof connector (1pack=25needles)
65.113.09	28G diam. 0,35x25mm disposable monopolar needle electrode, with 76 cm leadwire (red) and 1,5 mm touchproof connector (1pack=25needles)
65.113.10	28G diam. 0,35x37mm disposable monopolar needle electrode, with 76cm leadwire (orange) and 1,5mm touchproof connector (1pack=25needles)
65.113.11	26G diam. 0,45x37mm disposable monopolar needle electrode, with 76cm leadwire and (green) 1,5mm touchproof connector (1pack=25needles)
65.113.12	26G diam. 0,45x50mm disposable monopolar needle electrode, with 76cm leadwire and (blue) 1,5mm touchproof connector (1pack=25needles)
65.113.13	26G diam. 0,45x75mm disposable monopolar needle electrode, with 76cm leadwire and (violet) 1,5mm touchproof connector (1pack=25needles)
	NEEDLE ELECTRODES FOR BOTULINUM TOXIN
65.113.04	30G diam. 0,30mm x 25mm, disposable needle electrode for botulinum toxin, 70cm leadwire (blue) and 1,5mm touchproof connector (1pack=10needles)
65.113.05	27G diam. 0,40mm x 25mm, disposable needle electrode for botulinum toxin, 70cm leadwire (green) and 1,5mm touchproof connector (1pack=10needles)
65.113.06	26G diam. 0,45mm x 37mm, disposable needle electrode for botulinum toxin, 70cm leadwire (pink) and 1,5mm touchproof connector (1pack=10needles)
65.113.07	25G diam. 0,50mm x 50mm, disposable needle electrode for botulinum toxin, 70cm leadwire (white) and 1,5mm touchproof connector (1pack=10needles)
65.113.08	22G diam. 0,70mm x 75mm, disposable needle electrode for botulinum toxin, 70cm leadwire (grey) and 1,5mm touchproof connector (1pack=10needles)

POLYSOMNOGRAPHY

	REUSABLE SLEEP SENSORS
64.144.02	Airflow thermal sensor, 3 way, adult size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
64.144.13	Airflow thermal sensor, 3 way, paediatric size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
64.144.16	Airflow thermal sensor, 3 way, neonatal size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
64.144.11	Respiratory effort sensor, adult size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
64.144.12	Respiratory effort sensor, paediatric size, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
64.144.01	Snoring sensor, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
64.144.08	Tremor sensor, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
64.144.04	Limb movement sensor, with 2m long leadwire and 1,5mm touchproof connector (1pack=1piece)
	DISPOSABLE SLEEP SENSORS
64.144.05	Disposable respiration sensor, paediatric size, 2m long leadwire to be used with 64.144.10 (1pack=5pieces)
64.144.10	Reusable module transducer for disposable adult/paediatric respiration sensor (1pack=1piece)

NERVE CONDUCTION STUDIES

	BIPOLAR SURFACE STIMULATION ELECTRODES
65.118.03	Bipolar stimulation electrode, 25mm interelectrode distance, 150cm shielded leadwire and 1,5mm touchproof connectors (1pack=1piece)
65.118.04	Bipolar stimulation electrode, 25mm interelectrode distance, 150cm shielded leadwire and 5pole DIN45322 connector (1pack=1piece)
65.118.05	Bipolar stimulation electrode, 10mm interelectrode distance, 150cm shielded leadwire and 1,5mm touchproof connectors (1pack=1piece)
65.118.06	Bipolar stimulation electrode, 10mm interelectrode distance, 150cm shielded leadwire and 5pole DIN45322 connector (1pack=1piece)
	RECORDING BAR ELECTRODES
66.117.11	Recording bar electrode, 25mm interelectrode distance, 150cm shielded leadwire and 1,5mm touchproof connectors (1pack=1piece)
66.117.08	Recording bar electrode, 25mm interelectrode distance, 150cm shielded leadwire and 5pole DIN4522 connector (1pack=1piece)
66.117.17	Recording bar electrode, 40mm interelectrode distance, 150cm shielded leadwire and 1,5mm touchproof connector (1pack=1piece)
66.117.14	Recording bar electrode, 40mm interelectrode distance, 150cm shielded leadwire and 5pole DIN4522 connector (1pack=1piece)
	BIPOLAR BAR STIMULATION ELECTRODES
65.115.03	Bipolar bar stimulation electrode, 30mm interelectrode distance, 100cm leadwire and 1,5mm touchproof connectors (1pack=1piece)
65.115.04	Bipolar bar stimulation electrode, 30mm interelectrode distance, 100cm shielded leadwire and 5pole DIN45322 connector (1pack=1piece)
65.115.05	Bipolar bar stimulation electrode, with rubber band grip, 30mm interelectrode distance, 100cm leadwire and 1,5mm touchproof connectors (1pack=1piece)
65.115.06	Bipolar bar stimulation electrode, with rubber band grip, 30mm interelectrode distance, 100cm shielded leadwire and 5pole DIN45322 connector (1pack=1piece)
	DISK ELECTRODES
65.118.22	Couple of disk electrodes diam. 10mm gold plated with 100cm leadwire and 1,5mm touchproof connector (1pack=1piece)
	Other versions available on request



Zona Artigianale 3/C, 39052 Caldaro s.S.d.V. (BZ) -
ITALY
Phone +39 0471 813468

NEUROPHISIOLOGY ACCESSORIES CATALOGUE

Item code EF Medica	
	RING ELECTRODES
65.114.11	Pair of stainless steel spring ring electrodes with 100cm leadwire and 1,5mm touchproof connectors (1pack=1pair)
65.114.10	Pair of stainless steel spring ring electrodes with 100cm shielded leadwire and 5pole DIN45322 connector (1pack=1pair)
65.114.14	Pair of thin stainless steel spring ring electrodes with 100cm leadwire and 1,5mm touchproof connectors (1pack=1paire)
65.114.15	Pair of thin stainless steel spring ring electrodes with 100cm shielded leadwire and 5pole DIN45322 connector (1pack=1pair)

	CONNECTION SYSTEM
65.114.06	A pair of stainless steel rings electrodes moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.114.07	A pair of stainless steel tin rings electrodes moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.114.08	A pair of AgAgCl flat electrodes moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.114.03	A pair of AgAgCl disc electrodes moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.114.02	A pair of 1mm sockets moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.114.09	A pair of stud adapters moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.114.05	A pair of insulated alligator clips moulded in a bipolar socket to fit the EMG needle cable (1pack=1piece)
65.111.11	100cm extraflexible connection leadwire for concentric connection and 5-pole DIN45322 connector (1pack=1piece)
	Other versions available on request



GROUND ELECTRODES AND ADAPTERS

	GROUND BAND ELECTRODES
65.117.01	2,5x25cm long conductive elastic ground band electrode with press stud connection and connection leadwire with 1,5mm touch proof connector (1pack=1piece)
65.117.02	2,5x40cm long conductive elastic ground band electrode with press stud connection and connection leadwire with 1,5mm touch proof connector (1pack=1piece)
65.117.03	2,5x70cm long conductive elastic ground band electrode with press stud connection and connection leadwire with 1,5mm touch proof connector (1pack=1piece)
	Other versions available on request

	DIFFERENT ACCESSORIES
60.113.27	Jumper leadwire 12cm with 1,5mm touchproof connector (1pack=5pieces)

APPROVED
23/02/2026